



Assembly Instructions

ABT-soundcontrol for Audi A6

Version 2015-11-19

Assembly instructions

ABT-soundcontrol Audi A6

Assembly time: approx. 30 min

Attention: To guarantee optimal function and security of the ABT AEC it is necessary to thoroughly read through the assembly instructions prior to work and to operate the installation as described.






TABLE OF CONTENTS

1. SCOPE OF DELIVERY.....	4
2. ASSEMBLY SOUNDCONTROL.....	5
3. COMPLETION	7

1. Scope of delivery

Please check if delivery is complete before starting the installation. In case the delivery is incomplete, please contact our service team at ABT Sportsline.

amount	picture	description
1		ABT soundcontrol
1		Wiring harness
1		Velcro tape 2x 2,5cm


2. Assembly soundcontrol



Open the service door on the right side in the trunk. Here you can find the control unit for the sound generator.



Disconnect the control unit for the sound generator.




Connect the provided wiring harness with the ABT soundcontrol. Attach the ABT soundcontrol on a suitable location with the Velcro tape.

Montageanleitung
ABT-soundcontrol
A6



Connect the plug from the original wiring harness with the provided wiring harness.



Connect the provided wiring harness with the original control unit from the soundgenerator.



3. Completion

Reinstall all serial parts to the vehicle.

Read out the error memory and delete it if necessary.

Start the engine.

Take a test drive.

ABT Sportsline GmbH
Johann-Abt-Str. 2
D-87437 Kempten / Allgäu
Tel.: +49 (0)831 / 5 71 40-0
Fax: +49 (0)831 / 7 26 66
info@abt-sportsline.de
www.abt-sportsline.de